

## MEMO

**Subject:** Scenario Analysis Tool User's Guide  
**From:** Roel Hammerschlag  
**To:** Allison Osterberg, Thurston Regional Planning Council  
**Date:** May 21, 2020  
**Doc. no.:** TH-015(c)

---

### Introduction

The Scenario Analysis Tool permits the Thurston Regional Planning Council (TRPC) and other Thurston Climate Mitigation Plan (TCMP) partners to test impacts of hypothetical climate policies on the future. A user of the Scenario Analysis Tool can posit future reductions in twenty-five strategy metrics related to the Thurston County economy, and receive instant visual feedback regarding the associated GHG reductions. (Figure 1)




Figure 1 – Sample output of the Scenario Analysis Tool. Data from 2010-2017 are actuals as reported in the Thurston County GHG inventory; data from 2018-2050 are forecast. The crosshatched area indicates potential reductions associated with user input values for carbon sequestration projects or GHG offsets.

This memo is divided into three sections:

<b>User Guide</b>	<b>p. 2</b>
<b>Methodology</b>	<b>p. 5</b>
<b>Case Study</b>	<b>p. 10</b>

The *User Guide* provides “get started” level, practical guidance for appropriate and easy use of the tool. *Methodology* describes in detail how the user’s activity level inputs are translated into GHG emissions outputs. Many readers may want to skip this section, and instead utilize the case study as further guidance toward successful use. *Case Study* applies the tool to proposed TCMP Assessed Actions generated by a collaboration between TRPC, the Climate Advisory Workgroup and the consultant, as of May 15, 2020.

## User Guide

### Spreadsheet Structure and User Dashboard

The Scenario Analysis Tool is coded in Microsoft Excel 2019, and includes seven tabs ‘cover’, ‘dashboard’, ‘engine’, ‘ref’, ‘definitions’, ‘units’ and ‘cites’. All substantive computations occur on the tab ‘engine’, but the user can effectively use the tool working entirely with the user dashboard on tab ‘dashboard’. The dashboard places the primary inputs and outputs in a single visual field. (Figure 2)

User Dashboard - enter assumptions in light blue cells




Figure 2 – Major features of the Scenario Analysis Tool’s user dashboard. The graphical component in the upper left is an output.

## Graphical Output

The primary feature of the dashboard is the output graphic. The graphic includes the following five components:

- **Business-as-usual (BAU):** The upward-sloping, grey line; this is the first of two reference scenarios. This represents the emissions we would expect if energy and climate policies remain fixed as they were during the 2010-2017 timeframe, and population grows following current, state forecasts.
- **Policy-adjusted forecast:** The thick, black line; this is the second of two reference scenarios. The policy-adjusted forecast adjusts BAU downward according to the impacts of future energy code components of state building code, the Clean Energy Transition Act (CETA), and anticipated increases to vehicle fuel economies. The vast majority of difference between BAU and the policy-adjusted forecast is due to CETA.
- **Targets pathway:** The downward-sloping, dotted black line. The two open circles represent the two GHG reduction targets: 45% below 2015 by 2030, and 85% below 2015 by 2050, following the interlocal agreement for a regional climate mitigation plan.<sup>1</sup> The dotted black line is a piecewise-linear pathway from actual emissions in 2015 to 2030 target emissions; and to 2050 target emissions. The linear pathway is for visual reference; the interlocal agreement only specifies the two targets, not the pathway.
- **Scenario emissions:** The solid colored areas. Each area represents the emissions from a different sector of the economy. From top to bottom these sectors are: residential buildings (dark yellow), commercial & industrial buildings (light yellow), transportation (red), solid waste & wastewater (blue); agriculture (green); and miscellaneous (grey). The top of the stack of shaded areas represents total emissions. Emissions from 2010 to 2017 are actuals, emissions from 2018 to 2050 are projections.
- **Sequestration:** The crosshatched area along the top of the scenario emissions stack. These represent the user's input of biological sequestration projects, carbon capture and storage, GHG offsets or other negative emissions. If negative emissions are allowed toward target achievement, then the net outcome of the user's inputs should be read as the pathway of the underside of the sequestration wedge.

It can be a point of confusion that the targets pathway references calendar year 2015, but that the transition from actual data to projections is between calendar years 2017 and 2018. The emissions targets were legally specified relative to a baseline emissions year, 2015, to make them definitive. In contrast, the projected emissions are computed by whatever method is most accurate, maximizing the use of historical actuals. Since actuals were available through calendar year 2017, we began the estimates as of 2018 to maximize precision of the tool. This does not affect the computed emission targets in any way.

---

<sup>1</sup> Thurston County et al., "Interlocal Agreement between Thurston County, The City of Lacey, the City of Olympia, the City of Tumwater, and the Thurston Regional Planning Council for a Regional Climate Mitigation Plan," 2018.

## Tabular Output

Tabular outputs are available on the right-hand side of the dashboard, labeled “OUTPUT: GHG emissions by strategy metric” in Figure 2. Each cell in this region of the dashboard reports absolute emissions in the last measured year 2017, as well as in the two target years 2030 and 2050. Even though the user inputs a fractional *reduction*, the tool outputs absolute *emissions*. As the user’s input reductions increase, the output emissions decrease.

The emissions reported for each strategy metric are non-overlapping, and add to create the same total as the top of the scenario emissions stack in the graphic. The three such totals for 2017, 2030 and 2050 can be found below the strategy metric-specific outputs in cells ‘dashboard’!X42:Z42.

Below the total GHG outputs, the percentage reductions achieved in 2030 and 2050 appear in pink cells ‘dashboard’!Y45:Z45, which can be compared to their respective numeric targets in cells ‘dashboard’!Y46:Z46.

## Input

### Reductions to Strategy Metrics

The user can alter scenario emissions by adjusting the twenty-five pairs of 2030 and 2050 strategy metric reductions. In Figure 2, these are the light blue-shaded cells indicated with “INPUT: reductions to strategy metrics”. If you leave any of these cells blank, then the tool assumes the emissions are equal to those under the policy-adjusted forecast. In most cases where you input a value for 2030, the policy prescription will imply an equal or more aggressive reduction be input for 2050. The only exception would be for cases where you expect a policy to sunset, followed by a rollback of consumer behavior or infrastructure.

Think of each strategy metric either as an average activity level or as a total activity level. Average activity level if the units listed for the strategy metric are a ratio, total activity level if the units are not a ratio. The first and third strategy metrics offer examples of the two cases.

The first strategy metric is residential electricity consumption, measured in units *kWh/household*. Since these units are a ratio, the metric assesses the degree to which your proposed bundle of policies can reduce the average electricity per household. For example, if your policy bundle reduces electricity consumption by 20% in 10% of all homes, then the average reduction per household is  $10\% \times 20\% = 2\%$ .

The third strategy metric, residential fuel oil consumption, is measured in units *households*. Since these units are not a ratio, they assess the degree to which your policy can reduce the total number of households that are using fuel oil.

## Other Inputs

Below the graphical output, there are two additional input fields for negative GHG emissions achieved in 2030 and 2050, respectively. For each of the two years, input the negative emissions expected *in that year*, in metric tons of CO<sub>2</sub>-equivalent. Unlike the strategy metrics, where the Scenario Analysis Tool automatically computes GHG emissions from your percentage reductions, in the case of the two negative emissions fields you must compute the GHG emissions exogenous to the calculator.

Two 'engine' tab of the tool offers two additional inputs for advanced control of the calculator's behavior. First, at cell 'engine'!G68 you can control the slope of the BAU reference scenario (and hence all the other time series outputs) by choosing an alternate population forecast. This is not recommended, since the central population forecast is TRPC's only formally adopted forecast.

Second, the "exclude heavy-duty trucks" checkbox at cell 'engine'!E83 allows the user to remove heavy-duty truck emissions from the analysis. Most heavy-duty truck emissions in Thurston County are due to Interstate 5 through-traffic, which is out of the partner jurisdictions' control.

## Methodology

### **Step 1: Generate a BAU forecast**

For each inventory category, the Scenario Analysis Tool creates a Business As Usual (BAU) forecast of GHG emissions from 2018 through 2050. The BAU forecast represents the anticipated growth of GHG emissions in each inventory category, under the assumption that policies remain identical to those nominally in place during the 2010-2017 period covered by the existing time series of Thurston County GHG inventories.

Each inventory category forecast is based on the calendar year 2017 emissions level. Most inventory categories are assumed to increase proportionally to county population, such that emissions in a future year are equal to the emissions in 2017 multiplied by the ratio of population in the future year and population in 2017. The remaining inventory categories are assumed to remain fixed at the 2017 level. (Table 1)

population-based forecast	flat forecast
residential electricity	industrial electricity
commercial electricity	outdoor lighting
residential fossil gas	industrial fossil gas
commercial fossil gas	off-road vehicles
passenger vehicles	septic systems
light duty trucks	enteric fermentation
medium & heavy duty trucks	manure management
motorcycles	agricultural soil management
solid waste methane	
solid waste process	
solid waste transportation	
composting	
Budd inlet WWTP	
other WWTP	
ODS substitutes	
residential land conversion	

**Table 1 – Thurston County greenhouse gas inventory categories grouped by their forecasting treatment in the Scenario Analysis Tool.**

Future populations are drawn from TRPC’s adopted forecast,<sup>2</sup> which is computed through forecast year 2040. Population projections from 2041 through 2050 are linear interpolations based on the forecast years 2031 through 2040.

## Step 2: Apply future policy impacts

Next, inventory categories affected by anticipated changes to Washington State Building Energy Code,<sup>3</sup> the Clean Energy Transformation Act,<sup>4</sup> or average vehicle fuel economy are adjusted downward according to the corresponding legal requirements. (Table 2)

affected by building code	affected by CETA	affected by vehicle fuel economy
residential electricity	residential electricity	passenger vehicles
commercial electricity	commercial electricity	light duty trucks
residential fossil gas	industrial electricity	medium & heavy duty trucks
commercial fossil gas	outdoor lighting	

**Table 2 – Thurston County greenhouse gas inventory categories affected by policy adjustments in the Scenario Analysis Tool.**

Impact of Washington State Building Energy Code is described with a linearized policy model. The GHG emission rate from new buildings follow a linear pathway from their rate in 2017, to zero as of 2031 per the prescription in state law. From 2031 through 2050, the GHG emission

<sup>2</sup> <https://www.trpc.org/236/Population-Employment-Forecasting>

<sup>3</sup> RCW 19.27A.020(2)(a)

<sup>4</sup> 2019 SB 5116

rate from new buildings remains zero. We assume average building life to be 40 years, so that each year 1/40 of the forecast building stock is modeled to be replaced by new stock. The new stock then emits GHGs at whichever rate is ascribed by the linearized policy model at the time of its construction, for the duration of its 40-year life.

The Clean Energy Transformation Act impacts electricity emission factors, which have an instantaneous impact on the emissions forecast, unlike the Building Energy Code. CETA requires elimination of coal-fired electricity by 2025, and full decarbonization by 2045. 73.2% of Washington electricity emissions are due to coal generation,<sup>5</sup> but retirement of coal plants will not simply eliminate these emissions because the coal generation will be partially replaced by other fossil-fueled resources. We assume that 40% of the coal generation is replaced by renewable resources or hydroelectric, and the remaining 60% by natural gas. In the Northwest Power Pool, natural gas resources average a carbon dioxide emission factor 59.7% lower than coal resources. Under this assumption our linearized policy model reduces the electric emission factor 55.5% from 2023 (the first compliance year in the legislation) to 2025. A second linear pathway then suppresses electric emission factor from this value to zero over the time period 2026-2045.

The impacts of vehicle fuel economy changes are applied according to forecasts developed by TRPC<sup>6</sup> (Table 3).

	2015	2017	2030	2040	2050
<b>cars (gCO<sub>2e</sub>/mi)</b>	443	425	309	246	235
<b>cars (deflator)</b>		1.000	.727	.579	.553
<b>trucks (gCO<sub>2e</sub>/mi)</b>	596	570	403	351	339
<b>trucks (deflator)</b>		1.000	.707	.616	.594

**Table 3 – Actual (2015) and forecast (2030, 2040 and 2050) vehicle emission intensities provided by TRPC, and emissions deflators computed for the Scenario Analysis Tool. The emission intensities in 2017 were computed by linear interpolation between the TRPC-provided values for 2015 and 2030.**

TRPC forecasts of vehicle emission intensity were developed from an amalgam of primary sources. For each vehicle category, the Scenario Analysis Tool computes the emission intensity as of 2017 by linear interpolation between TRPC-provided categories, and assigns an emissions deflator value of 1.0 to this 2017 reference intensity. (2017 is the last year of historical emissions data in the tool.) The calculator then assigns deflator values for each vehicle category proportional to TRPC's projected emissions intensity pathway, from 2018 through 2050.

<sup>5</sup> Washington State Department of Commerce, "Washington State Electric Utility Full Mix Disclosure Reports for Calendar Year 2017" (Washington State Department of Commerce, November 2018), <http://www.commerce.wa.gov/Programs/Energy/Office/Utilities/Pages/FuelMix.aspx>.

<sup>6</sup> Allison Osterberg, "Scenarios: Data for Actions and Estimates" (Thurston Regional Planning Council, April 20, 2020).

### Step 3: Compute deflator curves

In the dashboard, the user inputs fractional reductions in each strategy metric anticipated as of 2030 and 2050. For each strategy metric the Scenario Analysis Tool builds a deflator curve consisting of two linear ramps, the first from 2020 to 2030, and the second from 2030 to 2050. The value of each deflator curve begins at 1 in 2020, decreases to 1 minus the user's input 2030 reduction in 2030, and then decreases to 1 minus the user's input 2050 reduction in 2050.

It is in this step that the crosswalk between strategy metrics and inventory categories is executed. (Table 4)

strategy metric	inventory category(ies)
residential electricity	residential electricity
residential fossil gas	residential fossil gas
residential fuel oil	residential fuel oil
residential LPG	residential LPG
residential wood	residential wood
commercial electricity	commercial electricity
commercial fossil gas	commercial fossil gas
industrial electricity	industrial electricity
industrial fossil gas	industrial fossil gas
passenger vehicle use	passenger vehicles
passenger vehicle EF	
light duty truck use	light duty trucks
light duty truck EF	
heavy duty truck use	medium & heavy duty trucks
heavy duty truck EF	
solid waste generation	methane emissions, solid waste process, solid waste transportation
landfill emission rate	methane emissions
wastewater treatment plants	Budd Inlet WWTP, other WWTP
septic tanks	septic systems
animal farming	enteric fermentation, manure management
fertilization of land	agricultural soil management
street lighting	outdoor lighting
refrigerant use	ozone depleting substitutes
land clearing	residential land conversion

**Table 4 – Inventory categories, by which strategy metrics impact them. The strategy metrics appear in the same order in which they appear on the Scenario Analysis Tool dashboard.**



There are three inventory categories that are unaffected by dashboard inputs, and for which no deflator curves are computed. These three inventory categories are: *motorcycles*, *off-road vehicles*, and *composting*.

#### **Step 4: Apply deflator curves to the policy-adjusted forecast**

The policy-adjusted forecast for each inventory category created in Step 2, is multiplied by its respective deflator curve computed in Step 3. Inventory categories having no deflator curve are left unchanged.

#### **Step 5: Compute GHG offset forecast**

The dashboard inputs for GHG offsets are converted to a 2020-2050 time series, beginning at zero in 2020, with a linear increase to the user's input value for 2030, followed by a linear increase to the user's input value for 2050.

#### **Step 6: Roll up inventory categories into sectors**

Finally, the 27 inventory categories are rolled up into six sectors: residential buildings, commercial & industrial buildings, transportation, solid waste & wastewater, agriculture, and other in preparation for graphing and tabular output on the dashboard. (Table 5)

sector	contains inventory categories
residential	residential electricity residential fossil gas residential fuel oil residential LPG residential wood
commercial & industrial	commercial electricity commercial fossil gas industrial electricity industrial fossil gas
transportation	passenger vehicles light duty trucks medium & heavy duty trucks motorcycles off-road vehicles
solid waste & wastewater	methane emissions process emissions solid waste transport composting Budd Inlet WWTP other WWTP septic systems
agriculture	enteric fermentation manure management agricultural soil management
other	streetlighting ODS substitutes residential land conversion

**Table 5 – Assignment of inventory categories to sectors (for graphical output in the Scenario Analysis Tool dashboard).**

## **Case Study**

The delivered version TH-010(q) of the Scenario Analysis Tool contains Cascadia Consulting Group / Hammerschlag LLC estimates for reductions in fourteen of the strategy metrics, in cells 'dashboard'!P5:Q36. These are our estimates of strategy metric reductions associated with aggressive deployment of all 71 TCMP Assessed Actions as documented in file <TCMP\_draft priority climate actions\_20200515.pdf>.<sup>7</sup>

We (Cascadia Consulting Group / Hammerschlag LLC) estimated the strategy metric reductions by collecting, for each strategy metric, the subset of TCMP Assessed Actions that would impact the strategy metric, and estimating based on professional experience the expected reduction

<sup>7</sup> Received from Allison Osterberg via email, 2020-05-15.

under the condition that all actions in the subset are deployed. In each instance we considered the potential assuming full support of relevant municipal, county and state governments. In the case of voluntary measures we assumed widespread consumer or customer interest, but limited by normal economic circumstances. We took into account interactions among each subgroup of actions so that their effect was considered in concert, not simply a sum of the effects if each one were deployed singly.

## Residential Sector

strategy metric	contributing actions	reductions	
		2030	2050
residential electricity	B1.1 residential energy performance ratings B1.2 residential energy audits B1.4 rental housing EE incentives B1.5 property tax credit B1.6 rental housing EE baseline B3.5 green building tracking B4.5 permitting incentives B4.6 EE tax exemptions B4.7 land use incentives B4.9 permit counter technical assistance B4.11 grid-connected appliances B4.12 multifamily submetering B5.5 solSmart B5.8 solar-ready B5.10 group purchasing G1.7 social research T1.2 middle-density housing T1.3 Eco districts	20%	30%
residential fossil gas	B1.1 residential energy performance ratings B1.2 residential energy audits B1.4 rental housing EE incentives B1.5 property tax credit B1.6 rental housing EE baseline B3.5 green building tracking B4.5 permitting incentives B4.6 EE tax exemptions B4.7 land use incentives B4.9 permit counter technical assistance B4.12 multifamily submetering B6.1 natural gas to electric conversions B6.2 electric appliances in new construction B6.4 natural gas ban G1.7 social research T1.2 middle-density housing T1.3 Eco districts	20%	50%
residential fuel oil	B1.1 residential energy performance ratings B1.2 residential energy audits B1.4 rental housing EE incentives B1.5 property tax credit B1.6 rental housing EE baseline B4.5 permitting incentives G1.7 social research	10%	20%

strategy metric	contributing actions	reductions	
		2030	2050
residential LPG	B1.1 residential energy performance ratings B1.2 residential energy audits B1.4 rental housing EE incentives B1.5 property tax credit B1.6 rental housing EE baseline B4.5 permitting incentives B6.2 electric appliances in new construction G1.7 social research	10%	20%
residential wood	B1.1 residential energy performance ratings B1.2 residential energy audits B1.4 rental housing EE incentives B4.5 permitting incentives G1.7 social research	10%	20%

The *residential electricity* and *residential fossil gas* strategy metrics share the majority of their contributing actions, specifically:

B1.1 residential energy performance ratings	B4.6 EE tax exemptions
B1.2 residential energy audits	B4.7 land use incentives
B1.4 rental housing EE incentives	B4.9 permit counter technical assistance
B1.5 property tax credit	B4.12 multifamily submetering
B1.6 rental housing EE baseline	G1.7 social research
B3.5 green building tracking	T1.2 middle-density housing
B4.5 permitting incentives	T1.3 Eco districts

All of these actions either provide an opportunity to act on both electric and fossil gas energy simultaneously or independently, or they affect the building shell in which case both types of energy consumption are likely to be reduced. Our higher estimate of reduction in 2050 for *residential fossil gas*, reflects the likely substitution of heat pumps for fossil gas furnaces in response to (a) the various efficiency incentives included for both strategy metrics and (b) contributing action B6.1 *fossil gas to electric conversions*.

*Residential fuel oil*, *residential LPG* and *residential wood* achieve lower reductions, because utilities have far less ability to bring incentive programs for these three fuels to homes.

#### Comparing Policies for New Buildings vs. Existing Buildings

The Scenario Analysis Tool estimates stock of new buildings vs. existing buildings by assuming a 40-year average building lifetime. So for a policy affecting new buildings, even if it goes into force immediately in 2020, then as of 2030 75% of buildings will be those that existed today, and even by the model horizon of 2050, 25% of buildings will be those that existed today, and therefore unaffected by the new buildings policy. Of course, the longer that implementation of a buildings policy is delayed, the higher these fractions of extant buildings will be in 2050 and especially 2030.

Among the residential buildings actions, those targeted specifically at new buildings are:

B4.5 permitting incentives  
B4.6 EE tax exemptions  
B4.7 land use incentives

B4.9 permit counter technical assistance  
B4.12 multifamily submetering

In our 2030 estimates, these five incentives make no substantive contributions to the 20% reductions estimated for 2030 in residential electricity and residential fossil gas, due to the dominance of existing building stock expected (especially after considering some lag between Thurston Climate Mitigation Plan release and eventual deployment of the policies). By 2050 however, these policies are making substantial contributions to our estimates of the policy bundle impacts to residential electricity (30% reduction total) and residential fossil gas (50% reduction total).

### Contribution of Local Renewable Energy Production

Local renewable energy production is supported by the actions:

B5.5 solSmart  
B5.8 solar-ready

B5.10 group purchasing

Local renewable energy production is input into the Scenario Analysis Tool as a reduction in demand for grid electricity. Hence these actions are included in the policy bundles that affect strategy metrics *residential electricity* and *commercial electricity* (and, in the case of B5.8 solar-ready, *industrial electricity*).

All three actions provide infrastructure support, but with neither a portfolio standard nor financial incentives. Furthermore, *B5.8 solar-ready* impacts new buildings only (see discussion above). So, the local renewable production actions' contributions to our reduction estimates are small. Strategy metrics *residential electricity* and *commercial electricity* are ratio metrics, so the impact of each action needs to consider penetration into the market as well as the impact at each household. For example, if each household in a *B5.10 group purchasing* collective purchases sufficient panels to displace 30% of its electricity consumption, and as of 2030 5% of all households join collectives, then the reduction to utility electric demand will be  $5\% \times 30\% = 1.5\%$ .

## **Commercial and Industrial Sectors**

strategy metric	contributing actions	reductions	
		2030	2050
commercial electricity	B2.1 commercial energy benchmarking & disclosure B2.3 LED lighting B2.6 cool roofs B2.8 performance standard B3.1 energy education B3.4 exemplary buildings B3.5 green building tracking B4.4 green public buildings B4.5 permitting incentives B4.6 EE tax exemptions B4.7 land use incentives B4.9 permit counter technical assistance B5.3 public building solar B5.5 solSmart B5.8 solar-ready B5.10 group purchasing T1.3 Eco districts	20%	30%
commercial fossil gas	B2.1 commercial energy benchmarking & disclosure B2.8 performance standard B3.1 energy education B3.4 exemplary buildings B3.5 green building tracking B4.4 green public buildings B4.5 permitting incentives B4.6 EE tax exemptions B4.7 land use incentives B4.9 permit counter technical assistance B4.11 grid-connected appliances B6.1 natural gas to electric conversions B6.4 natural gas ban T1.3 Eco districts	20%	50%
industrial electricity	B3.1 energy education B4.11 grid-connected appliances B5.8 solar-ready	2%	5%
industrial fossil gas	B3.1 energy education B6.4 natural gas ban	10%	30%

As in the residential sector, electricity and fossil gas are equally susceptible to many of the proposed actions. The commercial sector has historically responded with less elasticity to energy efficiency incentives than the residential sector, which is the primary reason for our somewhat lower estimates here.

Industrial sector emissions are a combination of typical, building HVAC and lighting energy similar to the predominant drivers in commercial sector emissions, but then combined with industrial process loads such as fans, motors, and process heat. In Thurston County industrial sector emissions are relatively small; for example its natural gas combustion emissions, at 7,800 tCO<sub>2e</sub> in 2017, are less than 0.3% of the county's 3 million tCO<sub>2e</sub> inventory.

## Transportation Sector

strategy metric	contributing actions	reductions	
		2030	2050
passenger vehicle use	G1.7 social research T1.1 coordinated long term planning- future infill T1.2 middle-density housing T1.3 Eco districts T1.4 20-minute neighborhoods T1.9 ADUs T1.11 land use efficiency T2.2 congestion mitigation T2.17 teleworking/flex work T4.1 increase transit T4.3 rural transit T4.4 fareless system/youth ride free T4.10 rider education/benefits T4.15 promote transit benefits T5.1 walk/bike infrastructure T5.2 barriers to transportation alternatives T5.4 school drop-off alternative modes T5.11 car-free zones T5.13 telecommuting infrastructure	5%	20%
passenger vehicle EF	G1.7 social research T2.4 vehicle efficiency outreach T3.1 EV parking new construction T3.2 free EV parking T3.5 EV ready building code T3.7 EV integration T3.10 convert to EV fleets T3.11 EV education T3.14 EV mass purchase discounts T3.15 EV purchase incentives	20%	60%
light duty truck use	T1.3 Eco districts T1.11 land use efficiency T2.2 congestion mitigation	5%	10%
light duty truck EF	T3.10 convert to EV fleets	5%	20%

TCMP Assessed Actions approaches to transportation are generally aggressive, and especially take into account the importance of urban form. Vehicle use is famously inelastic, so our 2050 estimate of a 20% reduction in VMT per capita reflects very aggressive policymaking in this arena, matching the contributing actions.

Even though the EV policies proposed to affect the strategy metric *passenger vehicle EF* are perhaps not as comprehensive, they still result in relatively large reduction estimates because they are strongly enabled by the increasing availability and dropping prices of electric vehicles on the national and international market.

### New Emissions from EVs

Adoption of EVs plays substantially into our reduction estimates for strategy metric *passenger vehicle EF*. Though EVs do genuinely displace tailpipe emissions from gasoline and diesel fuel, that displacement is mitigated by new, stack emissions from the power plants that supply the additional electricity demand.

The Scenario Analysis Tool uses simple calculator-style methodologies that do not lend themselves to introduction of a new energy resource (electricity) into a specific sector (transportation) through replacement. This means that scenarios that feature large penetration of EVs into the vehicle market may underestimate the gross emissions inventory. We find this bias to be acceptably limited in scope, because CETA is driving electric emissions factor to zero on a timeline at least as fast as most imaginable forecasts for substantial displacement of conventional vehicles by EVs. Indeed, new emissions from EVs can only impact 2030 target achievement since the 2050 target comes after CETA's 2045 deadline for complete decarbonization.

### Mode Shift vs Urban Planning

"Mode shift" is the professional term of art for getting people out of their cars. Alternatives to cars include buses, trains, bicycles, walking and telecommuting. Mode shift also includes shifting people from driving alone to carpooling. When viewed in isolation, mode shift as a GHG reduction policy is a method for minimizing the emission factors associated with fixed needs for travel.

Urban planning, on the other hand, can reduce the needs or distances for travel to begin with. Besides simply cutting GHGs due to shorter trip lengths, urban planning induces additional mode shifts by more thoroughly mixing use (placing residences closer to workplaces and shopping districts); increasing density; favoring walking & biking ("complete streets"); clustering development around transit trunk lines such as train tracks; and other methods.

It is our professional experience that isolated mode shift programs often require significant costs or subsidies to encourage participation. Urban planning, on the other hand, seems to induce more significant change with little direct financial cost to the responsible government (though there may be indirect costs). Hence, we weight the reductions achievable with the TCMP Assessed Actions package strongly toward 2050 versus 2030, to reflect the slower penetration but higher effectiveness of the urban planning policies included.



## Solid Waste & Wastewater Sector

strategy metric	contributing actions	reductions	
		2030	2050
solid waste generation	G1.7 social research W4.4 waste audits W4.10 waste less food program	10%	30%
landfill emission rate	<b><i>aggressive landfill gas recovery &amp; destruction</i></b>	50%	50%
wastewater treatment plants	W1.1 municipal energy efficiency W3.1 nitrous oxide capture	20%	20%

Solid waste (landfilled waste) generation has been strongly targeted by municipal policy for decades. The TCMP Assessed Actions in this sector are relatively indirect and do not have a lot of power to reach beyond the substantial voluntary participation in recycling and composting already occurring. Hence our relatively low estimates for impacts in this strategy metric.

We found the TCMP Assessed Actions to fall somewhat short of achieving the GHG reduction targets, so we are suggesting an additional action of *aggressive landfill gas recovery & destruction* to provide additional GHG reduction toward achieving the targets.

Wastewater treatment plants are receiving substantial design & improvements attention in Thurston County, so we model ambitious reductions in their associated emissions, deployed in the near future.

## Agriculture Sector

strategy metric	contributing actions	reductions	
		2030	2050
fertilization of land	A1.2 nutrient management A2.1 regenerative agriculture	20%	50%

Thurston County includes both successful examples of and strong advocacy for progressive farming techniques that can reduce GHG emissions associated with chemical fertilizers. The two proposed actions relating to fertilization of land are likely to be embraced strongly, and will have a receptive audience. Hence we assigned relatively ambitious reductions to this strategy metric.

## Land Use and Sequestration

strategy metric	contributing actions	reductions or tCO <sub>2</sub> e seq.	
		2030	2050
land clearing	<b><i>moratorium on new land clearing</i></b>	100%	100%

sequestration	A5.1 reforestation & afforestation program A6.5 municipally-controlled canopy A6.9 tree canopy preservation G4.3 other emission sources and sinks	153,000 529,000 tCO <sub>2</sub> e tCO <sub>2</sub> e
---------------	--	--

We are also postulating a *moratorium on new land clearing* in order to offer a scenario analysis that achieves the targets in combination with the TCMP Assessed Actions. A moratorium on land clearing is most likely politically infeasible, but the fact we are postulating it speaks to the challenge of meeting the targets.

Sequestration is not technically a strategy metric in the Scenario Analysis Tool, but the user dashboard allows input of net sequestration estimates for 2030 and 2050, respectively. We are offering values of 153,000 tCO<sub>2</sub>e and 529,000 tCO<sub>2</sub>e for the two years, based on afforestation of 8% of Thurston County’s land area (about 37,000 acres) and conversion of about 30% of Thurston County’s agricultural land from conventional to regenerative agriculture. Regenerative agriculture enhances soil health by increasing soil organic carbon levels while ensuring appropriate carbon to nitrogen ratios, and increases carbon sequestration by maximizing plant productivity. The 8% afforestation goal stretches the limit of what is available, but once again we are trying to push boundaries for the sake of achieving the TCMP partners’ targets.

## Result

Implementing all estimated strategy metric reductions described above produces final Scenario Analysis Tool output as shown in Figure 3.




Figure 3 – Scenario Analysis Tool output under the Case Study assumptions and reduction estimates. In the Case Study run of the tool, emissions from trucks (Interstate 5 through-traffic) are excluded.

It is clear from the tool's graphical output that CETA plays a critical role in achieving the targets, by bringing the policy-adjusted forecast strongly downward. The GHG inventory that underlies the tool does not discount truck through-traffic on Interstate 5, so in the Case Study heavy truck emissions are omitted using a user-accessible switch at cell 'engine'!E83. If the inventory is amended in the future to exclude truck through-traffic, the user can add the remaining heavy truck emissions to the analysis using this switch.

Target achievement requires not just aggressive GHG reduction, but also aggressive sequestration. The gross emissions (the top of the stack of solid-colored areas) exceeds the targets; sequestration is represented by the cross-hatched overlay, and the net emissions appear as the lower edge of the cross-hatched overlay. This lower edge passes through or below the centers of the target circles, as desired. The results are presented numerically in Figure 4.

emissions results, million tCO <sub>2</sub> e			
	2015	2030	2050
BAU	2.87	3.81	4.53
policy-adjusted forecast	2.87	2.20	1.62
scenario gross emissions	2.87	1.75	0.89
scenario net emissions	2.87	1.59	0.36
targets		1.58	0.43

**Figure 4 – Scenario Analysis Tool output under the Case Study assumptions and reduction estimates.**

These results represent only one scenario for achieving the targets. The Scenario Analysis Tool is designed to be transparent and accessible, so that TCMP partners can model alternative scenarios that may be more achievable in the political, economic and physical contexts of Thurston County and its communities. We encourage the project partners to experiment with the tool and find the best path forward to achieving their GHG reduction goals.

Respectfully submitted,



Roel Hammerschlag, Principal  
Hammerschlag LLC

representing:  
Hammerschlag LLC / Cascadia Consulting Group