



Port of Olympia

**2011
Development
Guidelines**

**Commission Approved
October 24, 2011**

Table Of Contents

I. Introduction	3
ii. Olympia Properties	3
A. Property Description	3
B. Design Guidelines	4
C. Port Districts	5
1. Market District	5
2. Swantown Boatworks	7
3. East Bay District	7
4. Swantown Marina	8
5. Marine Terminal	8
6. Northpoint	9
7. Northpoint (Tidelands)	9
8. West Bay (Tidelands)	9
D. Landscape Guidelines And Port Landscape Management Plan	9
E. Transportation Network	10
iii. Airport Development Guidelines	11
A. Property Description	11
B. Development Area Guidelines	11
C. Airport Development Areas	12
1. General Aviation (Ga)	14
2. Corporate Aviation	14
3. Light Industrial (Aviation & Non-Aviation)	15
4. Commercial Air Service	15
5. North Airport Commercial	16
Iv. NewMarket Industrial Campus Development Guidelines	16
A. Property Description	16
B. Development Design Guidelines	16
C. Use Districts	17
1. Commercial District	18
2. Commercial Industrial District	18
3. Office / Retail District	19
4. Corporate Campus District	19
5. Mixed Use District	20
6. Light Industry District	20
7. Warehousing, Distribution And Light Industrial District	20
8. Recreation District	21
9. School District	22
D. Transportation Network	22
E. Landscaping And Greenbelt Guidelines	22

I. Introduction

This document contains the Port's Development Guideline for its two land holdings in Olympia and Tumwater. The Port businesses at the Olympia location are comprised of the Swantown Marina and Boatworks, Marine Terminal and Port Peninsula property development program. The Port businesses in Tumwater are the Olympia Regional Airport and NewMarket Industrial Campus property development program.

II. Olympia Properties

A. *Property Description*

The Olympia properties consist of about 150 acres on the Port Peninsula, and 26 acres of tidelands on West Bay. This ownership is shown on **Attachment 1**. Much of the City of Olympia's downtown areas were constructed on tidelands in the late 1800's and early 1900's, with the first major fill projects completed prior to formation of the Port District in 1922. The Peninsula properties represent the tip of tidelands filled over the century. A significant function of the Peninsula is the marine terminal, which provides 2,500 lineal feet of wharf and 76,000 sq. ft. of warehousing. The marine terminal can host three modern ships simultaneously, or a combination of vessels. The federal navigation channel which serves the marine terminal is dredged to a depth of -30 feet, based on mean-lower-low-water. The Swantown Marina is on the east side of the Peninsula, which was created in the early 1980's. The boat basin was built for a capacity of 1,100 moorage slips, with fifty-four acres of upland for support areas as well as additional cargo storage and maneuvering areas.

Approximately 13 acres on the northeast portion of the Port Peninsula were used by companies which produced treated wood products, the last being the McFarland Cascade Pole Company. The site is known as the Cascade Pole site and has undergone a Washington State Model Toxics Control Act remediation program. The Port's goal has been to return this property back to productive use. Conditions of the remediation will require limiting water that can enter the contained portions of the site, and prohibiting any penetrations that could compromise the low-permeable aquitard underneath the site.

The Port's upland ownership on West Bay consists of approximately 26 acres of tidelands, and the approximate 11 acres known as the Port Lagoon, which is under a perpetual easement to the U.S. Fish and Wildlife Service to serve as a fish and wildlife conservancy area and as mitigation for the development of the East Bay Marina.

Approximately 54 acres of land fill on the Port Peninsula is conditioned with uses that must be consistent with Section 404 of the Federal Water Pollution Control Act permit issued by the US Army Corps of Engineers in 1982. Since a portion of 54 acres of the land was created by filling in waters of the United States, uses on that land must be water dependent to a certain extent, or marina related. The following uses are consistent with this condition if the primary reason they are there is to provide support to those using boats in the marina:

Restaurants	Coffee Shops
Boat Sales	Yacht Brokers
Marine Surveyors	Marine Insurance
Sail Loft & Sales	Canvas/Boat Tops and Upholstery
Engine Repairs, Parts & Service	Marine Supplies & Hardware
Boat Repair Facilities	Dry Storage – Open & Covered
Haul-out Facilities	Boating Apparel
Electronic Sales & Services (marine related)	Fishing Supplies
Fuel Facilities	Groceries
Charter Boats & Boat Rentals	Yacht Designers, Naval Architects
Boat Trailer Dealers	Marina Parking
Coast Guard or Police Facilities	Canoe/Kayak Facilities
Shell House – Crew Racing	Laundry Facilities
Restrooms	Public Transit Shelters – not park and ride
Marina Maintenance Building	Marina Administration Building
Port Administration Building	Offices Relating to Maritime Business
Boat Builders, Shipyards	Seaplane Landing
Ferry Terminal	Recycling Area for Boaters
Fishing, Viewing Piers & Towers	Boat Shows
Yacht Maintenance & Management	Boat Rental
Boat Appliance Repair	Fish Buyers
Commercial Fish Boat Facilities	Dry Dock
Yacht Deliveries	Oceanographic Mapping/Charting
Boat Salvage	Boat Pump out & Service
Seafood Market	Fish Processing – load/unload
Accessory Uses, e.g. Pump Stations, substations, Phone Booths, Signage, etc.	
Boat Names – Commercial Painters & Lettering	

B. Design Guidelines

This plan conceptually addresses site development factors that are considered elements of design such as architecture, landscaping, development themes, and parking. It recommends a design character for each district, and general design guidelines for all Olympia property. These design recommendations are supplemented by more detailed design guidelines administered at the Staff level. The following general design guidelines apply to each district listed below.

Materials from which a building or group of buildings are constructed contribute to the character of the surrounding area. Therefore, the use of blank walls such as concrete cinder block (without facade ornamentation) uninterrupted glass curtain walls, and mirrored glass, are not acceptable design for any district; as well as the design of large, unbroken expanses of parking.

These design concepts are encouraged:

- Shade trees and shrubs to screen parking lots;
- Connections between adjacent site parking lots for shared parking;
- Landscaping and architectural details with distinctive accent colors to lessen the impact of larger buildings;
- Shade trees to line and define the property, and indicate entrances;
- Landscaped berms;
- Rooflines and wall heights with varied gables, dormers, architecturally fenestrated fascias and eaves to add variety;
- Entrance canopies and plazas to delineate the office entrance;
- Architecturally contoured walls to provide attractive shadow line appearance from the street; and
- Use of building materials such as brick, masonry, glass, tile, stone or wood on portions of the building facade.

C. Port Districts

The Olympia property is divided into ten districts, with corresponding uses and standards for each district. These districts are shown on **Attachment 1**.

- | | |
|-----------------------|-----------------------------|
| 1. Market District | 5. Marine Terminal District |
| 2. Swantown Boatworks | 6. NorthPoint |
| 3. East Bay District | 7. NorthPoint (Tidelands) |
| 4. Swantown Marina | 8. West Bay (Tidelands) |

The next section describes the eight (8) districts in terms of intent, use, character, and building placement.

1. Market District

Intent The Market District is a vibrant waterfront development which supports a variety of uses and encourages people to walk along the waterfront and shop in the downtown area. This District is the transition area between downtown and the marine terminal. It is home to retail, commercial and light industrial uses; such as the local farmer's market, coffee roaster, restaurants, offices, recreational moorage and community event space.

Use Retail, commercial, office and light industrial.



Attachment 1 – Budd Inlet Properties and Districts

Character The design intent for the Market is Pacific Northwest, possibly featuring native Indian designs and architecture, or the Granville Island character of a mix of building styles of a more rural flavor than urban. Retail building windows should have transoms and canopies, with boardwalk-style entries.

Vehicle access is via Capitol Way and Marine Drive. Pedestrian access is from multiple points including Percival Landing, local streets, and East Bay. The traffic circle and other street treatments such as pavers and trees create an atmosphere of an entry instead of a through-street.

Placement Buildings are oriented towards the street and primary entrances, with shared parking and open space. A traffic circle and extra wide sidewalks add character and access to the area in recognition of the pedestrian oriented nature of the uses.

2. Swantown Boatworks

Intent Swantown is a 6-acre marine center for vessel haul-out, service and repair, associated retail sales, and restaurant use. It is a vibrant and modern working waterfront, with expansive indoor and outdoor working areas and sophisticated and effective pollution control systems for boat maintenance and repair. Swantown consolidates marine businesses into a single area, creating a one-stop, full-service marine facility.

Use Industrial, retail, commercial, recreational. Limited residential use is allowed. Coordination with the U.S. Army Corps of Engineer's Section 404 permit is required for uses in this area.

Character The recommended design character is a Cannery-Row-nouveau warehouse style. Elements of this design character feature: buildings of metal or mill construction with heavy exposed structural members and lofts, metal roofs; retail windows with transoms and canopies; and boardwalk-style entries. Industrial buildings require fewer window and access treatments than retail buildings. Since Swantown and Market Districts create a significant east to west linkage, the design character should reflect this linkage.

Placement Placement of buildings is a matter of function, with the larger workshops which require travel lift access located on the yard. The commercial and retail uses which depend upon high visibility and vehicle access are located around the parking lot.

3. East Bay District

Intent The East Bay District has valuable waterfront frontage and frontage along State Avenue. The Port Commission approved conceptual planned usage of the site to include commercial, office and other uses such as retail. The intent of this area is to take advantage of the high volume frontage with commercial and retail uses, and the waterfront views and access.

Use Office, commercial, retail and mixed use, including residential.

Character Development character in this area should be a pedestrian oriented, walk able, business district.

Placement Placement of buildings must respond to several factors in this area.

4. *Swantown Marina*

Intent The Marina District is a 1,100 slip marina (at full build-out) and boat launch with upland marina-related services which include commercial, retail and limited office use. Typical uses in this area should be restaurants, boat supplies, grocery/deli, yacht clubs, yacht brokers, boutique hotel, etc. This district supports both upland and over-the-water uses which are of a water-dependent nature. A boat launch and parking is also included.

Use Marina, marina support, commercial, retail, office. Coordination with the U.S. Army Corps of Engineer's Section 404 permit is required for uses in this area.

Character The design character should add to the goal of making the Marina a destination facility. All buildings which face the pedestrian plaza should include retail windows with transoms and canopies, with boardwalk-style entries. Where appropriate, buildings should also form smaller open spaces which will each take on their own character.

Placement Buildings should be located off of the plaza. Parking should be located to the side of the buildings.

5. *Marine Terminal*

Intent The Marine Terminal and supporting cargo yards handle inbound and outbound cargoes from ocean going vessels and barges. The types of cargo handled are from traditional forest products to break bulk and containerized cargoes. This cargo moves in/out via all modes of transportation. Use and development within of the Marine Terminal are opportunity and market-driven, so development flexibility must be maintained.

Use Industrial, commercial, marina, and marine support. Uses in this district must be consistent with the Section 404 Federal Water Pollution Control Act permit issued by the US Army Corps of Engineers in 1982 related to the filling of the Port Peninsula.

Character Metal buildings would be appropriate in this area.

Placement The placement of buildings and other support activities should support the efficient loading and unloading of cargo.

6. NorthPoint

NorthPoint is intended to be a destination, pedestrian friendly, mixed-use district which benefits from remarkable mountain, water and downtown views, and offers recreational marine access. No specific plan has been approved by the Commission. This area is also the end point of the East Bay Promenade, which skirts the north and east sides of the Port Peninsula.

Use Marina, marina support, commercial, retail, and office.

Character The character of development in this area should be of a pedestrian oriented commercial waterfront nature.

Placement Buildings in this area should be located to take advantage of the views, without creating large visual barriers for other locations on the Peninsula. Parking should be located to the side of buildings.

7. NorthPoint (Tidelands)

Intent A portion of the Tidelands District is contaminated and is a part of the McFarland Cascade Pole Model Toxics Control Act clean-up efforts. The most highly contaminated sediments were removed and placed in an upland containment cell in 2003. Activities in this area may include clean-up and habitat mitigation. Mitigation for this site may include other sites in the Budd Inlet watershed which are not Port-owned.

Use Clean-up, mitigation, and education.

8. West Bay (Tidelands)

The Port sold the uplands to the City of Olympia for use as a park, and retained the tidelands.

Intent The intent of this district is for a habitat, potential habitat mitigation, and limited public access. The Port and U.S. Fish and Wildlife Service have designated approximately 11 acres in this area for conservation.

Use Wildlife habitat, educational, recreational and conservation.

Character Wildlife habitat with limited public access.

D. Landscape Guidelines and Port Landscape Management Plan

A few conceptual development guidelines are needed which promote landscaping which will enhance and unify the Port Peninsula properties. These guidelines promote a neat and well maintained appearance in areas not covered by buildings or parking and minimize the adverse visual and environmental impacts of large buildings and/or paved areas.

Outlined below are a few general requirements which should be followed by tenants to meet this intent.

- ❑ Landscaping should delineate site entrances.
- ❑ The setback space between streets and parking lots should be fully landscaped.
- ❑ Landscaping should be used to help define pedestrian paths and areas.
- ❑ Landscaping should accentuate the architectural details of site buildings.
- ❑ Shade trees should line and define the building and property perimeters (when feasible with adjacent uses). Sidewalks adjacent to the building should be setback with landscaping in between.
- ❑ Street trees and on-site landscaping must conform, at a minimum, to City standards.

The tenant is responsible for maintaining landscaping associated with their site in a groomed, weed-free condition. This requirement is monitored and enforced by both Port and City staff, relying upon the original landscaping plan as the standard.

E. Transportation Network

Routes and Street Standards

There are a variety of City and Port street ownerships on the Port Peninsula. Marine Drive is the primary road owned by the Port, and a portion of Franklin Street.. The Port built and dedicated Market Street to the City. The proposed Olympia Avenue extension will likely also be built and dedicated to the City. Plum Street is the designated Truck Route and the Port and City have partnered to provide additional strength to this roadway to accommodate heavy trucks. This route is used for routine truck access as well as occasional over-dimensional cargo, in coordination with the City of Olympia.

East Bay Promenade

The goal of the pedestrian promenade is to provide and maintain a safe, slow paced, convenient, community-oriented access way along and near the water's edge. Overall, the promenade is a coordinated system of connected pathways, sidewalks and shoreline access points that increases the amount and diversity of opportunities for walking and chances for personal discoveries along the Port Peninsula waterfront.

In response to ideas from the City of Olympia's East Bay Enhancement project, the Port is implementing a lawn conversion project to create a vegetated edge with interesting gardens that also provide habitat value and a buffer to East Bay.

As part of the Comprehensive Planning process the Port and its advisory committees considered the nature of the promenade and opted to keep the long sections of the trail ADA accessible with a hard surface but not paved. The intent is to make the area accessible but to discourage fast moving activities such as rollerblading, biking and

skateboarding. Hard surface areas would be focused around destination points such as the Marina Village within the Marina District, and the Marina Plaza near the M-N-O docks. This compromise accommodated both approaches for some paved surfaces yet a trail that would not become so competitive with potentially conflicting uses that all enjoyment was compromised.

III. Airport Development Guidelines

The Olympia Regional Airport “Airport Layout Plan Update” dated August 2003 is incorporated by reference into these Development Guidelines and is the basis for the summary listed below. The Airport Layout Plan (ALP), which illustrates both airside and landside facilities, is a graphic depiction of the existing and ultimate airport facilities that will be required to enable the airport to properly accommodate the future forecast demand. In addition, the ALP also provides detailed information on both airport and runway design criteria, which is necessary to define relationships with applicable standards. The only changes to this plan are those which incorporate changes to the Airport Layout Plan Update of 2003.

A. *Property Description*

The Olympia Regional Airport is located within the City of Tumwater and the Port’s ownership is illustrated on **Attachment 2**. Airport operations and development are governed largely by Federal Aviation Administration grant assurances and FAA Order 5190.6A, Airport Compliance Handbook, because the property was once owned by the federal government, and because the FAA continues to contribute financially to the development of the Airport through issuance of Federal Grants. In 1994 and 1995, the Port acquired additional property from property owners north and south of its existing holdings, in the area of Case and Tilley roads.

B. *Development Area Guidelines*

In 1996 the Washington State Growth Management Act of 1990 was amended by Washington State Bill 6422, which recognized airports as essential public facilities. This bill requires every city, town, code city, charter city and county having a general aviation airport in its jurisdiction to discourage site uses that are incompatible with an airport. According to representatives of the Washington State Department of Transportation (WSDOT) Aviation Division, the Tumwater Comprehensive Plan and the Tumwater/Thurston County Joint Plan have been prepared in accordance with the requirements of the Growth Management Act and determined to be in compliance with the current Washington State Aviation Policy. Future uses as reflected by these documents are depicted in the Airport Layout Plan Update Figure A6 entitled Generalized Future Land Use and depict the Olympia Regional Airport as Airport Related Industry.

This plan recommends a general design character for each use development area depicted on the Airport Layout Plan.

Materials from which a building or group of buildings are constructed contribute to the character of the surrounding area. Airport facilities are fairly universal in design, which is attributable to the functionality and FAA design standards associated with aircraft dimensional clearances and separation standards.

These landside design concepts are encouraged when appropriate:


- Short, utility friendly shade trees located outside the Air Operations Area and shrubs and to screen parking lots;
- Connections between adjacent site parking lots for shared parking;
- Landside landscaping, landscaped berms and building architectural details with colors and design consistent with existing development to promote standardization;
- Short shrubbery to line and define the property, and indicate entrances;
- Landside entrance canopies and plazas to delineate the office entrance;
- Architecturally contoured walls to provide attractive shadow line appearance from the street; and
- Use of building materials such as brick, masonry, glass, tile, stone or wood on portions of the landside building facade.

C. Airport Development Areas

The Airport Layout Plan visually depicts several use development areas which are depicted on **Attachment 2** and are as follows:

1. General Aviation (GA)
2. Corporate Aviation
3. Light Industrial (Aviation & Non-Aviation)
4. Commercial Air Service
5. North Airport Commercial (Aviation & Non-Aviation)

The next section generally describes the use development areas in terms of intent, specific use, character, and building placement.



Attachment 2. Airport Properties and Districts

1. General Aviation (GA)

Intent These development areas (shown as 1-5 on drawing) have runway / taxiway access, and are reserved for airside access dependent uses.

Use A broad mix of uses are allowed in the General Aviation development area excluding residential. The defining criteria for allowable uses in this area are the extent to which they are dependent on access to the runway, and the type and size of aircraft operations.

Character Architectural details are dependent on aircraft type and size, the scale of the development (single hangar vs. T-hangar complex), ALP designated Building Restriction Lines and dimensional standards outlined in FAA Advisory Circular 150/5300-13 (series) Airport Design. Landscaping should only be considered outside the Air Operations Area. Building design should be consistent with accepted industry design standards and FAA approved building materials.

Placement Development of these sites generally accommodate the mixing of ground vehicle and airplane activities with some sort of access controls and parking restrictions. Side or rear-yard setbacks and aircraft object-free areas vary depending on the taxiway or taxi lane type and the specific type of hangar development. Details are outlined during the City of Tumwater Design Review Process and the creation of a binding site plan.

2. Corporate Aviation

Intent This development area has runway / taxiway access, and is reserved for airside access dependent uses. Customers site development areas range from individuals to corporations with high performance turbo-prop and turbojet aircraft.

Use A broad mix of uses is allowed in the Corporate Aviation development area excluding residential. The defining criteria for allowable uses in this area are the extent to which they are dependent on access to the runway, and the type and size of aircraft operations.

Character The buildings should define the professional quality of the district. Architectural details are dependent on aircraft type and size, the scale of the development (single hangar vs. multi-hangar complex), ALP designated Building Restriction Lines and dimensional standards outlined in FAA Advisory Circular 150/5300-13 (series) Airport Design. Landscaping should only be considered outside the Air Operations Area. Building design should be consistent with accepted industry design standards and FAA approved building materials. Landscaping and short, utility friendly shade trees and landscaped berms should only be considered outside the Air Operations Area. Use of existing trees in landside landscaping is preferred consistent with City of Tumwater Ordinance. Entrance canopies and plazas should be used to delineate the office/landside entrance. The Peninsula Properties building is one example for the architectural and landscaping character for this type area.

Placement Office buildings when separated should be oriented toward the vehicle access; hangars should be oriented toward the taxiways. Combination office / hangar complexes are

common to the industry and are authorized. Parking should be located to the side and rear of the buildings and, where feasible, interconnected parking lots are encouraged. Development of these sites should generally have two orientations – one to the taxiway and the other to the roadway. Placement of buildings generally shall separate vehicle and airplane activities. Airport security should play a significant role in determining facility layout and design. Setbacks and aircraft object-free areas vary depending on the taxiway or taxi lane type and the specific type of hangar development. Details are outlined during the City of Tumwater Design Review Process and the creation of a binding site plan.

3. Light Industrial (Aviation & Non-Aviation)

Intent These development areas (shown as 1- 4 on drawing) are intended for light industrial uses such as Cardinal CG.

Use A broad mix of uses is allowed in the light industrial development area excluding residential. Uses may be aviation related or non-aviation related and will be recommended by the Port business team based on the overall fit with the goals of the Port.

Character Landscaping and architectural details with distinctive accent colors should serve to lessen the impact of larger buildings. Short, utility friendly shade trees should line and define the property, and indicate entrances. Landscaped berms are encouraged. Use of existing trees is required consistent with City of Tumwater ordinance. Entrance canopies and plazas should be used to delineate the office entrance. Building materials such as metal, brick, masonry, glass, tile, stone or wood are allowed on the building facade.

Placement Access to the area is provided off of Terminal Street or Armstrong Rd. on the southwest side of the Airport or 88th street or future access roads at the southeast corner of the airport. Buildings should be sited according to function or to facilitate compliance with City of Tumwater Ordinance. Parking areas should be screened with landscaping.

4. Commercial Air Service

Intent This development area has runway / taxiway access, and is reserved for commercial air service terminal and support services.

Use This area is restricted to commercial air service and support services.

Character Uses in this area will cater to the traveling public and planes. The street side character should be pedestrian friendly with entrances well marked to eliminate confusion.

Placement Development of within this district should generally have two orientations – one to the taxiway and the other to the traveler arriving by roadway. Placement of buildings generally shall separate pedestrian, vehicle and airplane activities. Airport security should play a significant role in determining facility layout and design.

5. North Airport Commercial

Intent This development area has Tumwater Boulevard frontage which influences its uses and character.

Use Commercial and retail are the target uses.

Character Buildings should be oriented toward the sidewalk and Tumwater Boulevard and should have amenities which draw people to it including windows, attractive ornamentation, and clearly delineated entrances.

Placement Building placement should be adjacent to Tumwater Boulevard to define the street edge and serve as a draw to the high volume of traffic, similar to the existing building on the corner.

IV. NewMarket Industrial Campus Development Guidelines

A. Property Description

New Market Industrial Campus is about 686 acres in size, which includes a portion of the Olympia Airport as shown on the **Attachment 2**. Both NewMarket Industrial Campus and the Airport are governed – to some extent – by the Federal Aviation Administration because the property was once owned by the federal government, and because the FAA continues to assist in the development of the Airport. NewMarket Industrial Campus is located within Tumwater city limits. In 1994 and 1995, the Port acquired property north and south of its existing holdings, in the area of Case and Tilley roads.

A majority of NewMarket Industrial Campus is located south of Tumwater Boulevard. Existing uses in NewMarket Industrial Campus are manufacturing, warehousing, distribution, office, commercial, highway retail and recreational.

B. Development Design Guidelines

This plan recommends a design character for each use district, and addresses site development factors that are considered elements of design. These include architecture, landscaping, development themes, and parking

Materials from which a building or group of buildings are constructed contribute to the character of the surrounding area. Therefore, the use of blank walls such as concrete cinder block (without facade ornamentation) uninterrupted glass curtain walls, and mirrored glass, are not acceptable design for any district; as well as the design of large, unbroken expanses of parking.

These design concepts are encouraged:

- Shade trees, shrubs and berms to screen parking lots;
- Connections between adjacent site parking lots for shared parking;

- Landscaping and architectural details with distinctive accent colors to lessen the impact of larger buildings;
- Shade trees to line and define the property, and indicate entrances;
- Landscaped berms;
- Rooflines and wall heights with varied gables, dormers, architecturally fenestrated facias and eaves to add variety;
- Entrance canopies and plazas to delineate the office entrance;
- Architecturally contoured walls to provide attractive shadow line appearance from the street; and
- Use of building materials such as brick, masonry, glass, tile, stone or wood on portions of the building facade.

C. Use Districts

NewMarket Industrial Campus (NewMarket) is divided into nine districts, with corresponding uses and standards for each district. These are shown on **Attachment 2**, and the districts are as follows:

1. Commercial
2. Commercial Industrial
3. Office / Retail
4. Corporate Campus
5. Mixed Use
6. Light Industry District
7. Warehousing, Distribution and Light Industrial
8. Recreation District
9. School

The first 3 districts listed above have a strong association with the City of Tumwater's concept for a Tumwater Town Center north of Tumwater Boulevard. A focused master plan was prepared for these 3 districts titled Tumwater Town Center Land Use Plan, December 2004. The objectives, design principles, streets and block patterns, street types and trees, street walls, parking concepts, upper level stepbacks and open spaces for these districts are articulated in this plan. Rather than include all of this detail in this document, the Port of Olympia's Tumwater Town Center Land Use Plan, December 2004, is adopted by reference.

Beginning with the Corporate Campus, the next section describes the nine districts in terms of intent, use, character, and building placement.

1. Commercial District

Intent With close access and parcels adjacent to I-5, this location is ideal for freeway oriented commercial including retail, office and hotel development. This gateway area of NewMarket should contain a variety of commercial uses, service uses, such as the existing hotels, professional offices, and retail. Across the street are several large State office buildings which would benefit from, and would support these uses.

Use Commercial, retail, and office.

Character The character of this district should develop a distinct, strong, cohesive identity for the area. The urban intensity should be maximized by structuring and encouraging growth toward a more concentrated, pedestrian friendly, and transit supportive area. Development practices in the area should embody environmentally sustainable principles. All buildings facing the internal circulation streets should include windows and overhead protection along the sidewalk. Signage will be freeway oriented.

Existing trees should be incorporated into the landscaping to lend an established look to the development.

Placement Buildings should be located on the street edge along Harper, 75th and Center Street in a manner that frames the street. This development technique provides a sense of urban intensity, generally slowing vehicular movement and facilitating pedestrian activity. Parking should be located to the side and rear of the buildings and, where feasible, interconnected parking lots are encouraged to the extent that this should be compatible in the long term. Where appropriate, buildings should also form smaller open spaces which should each take on their own character. A public open space, such as a plaza, would serve as the focal point for lunchtime and after work activities.

2. Commercial Industrial District

Intent Located south of Tumwater Boulevard, this location will include commercial, office, warehousing and light industrial development.

Use Commercial, office, warehousing and light industrial.

Character The character of this district should develop a distinct, strong, cohesive identity for the area. The urban intensity should be maximized by structuring and encouraging growth toward a more concentrated, pedestrian friendly, and transit supportive area. Development practices in the area should embody environmentally sustainable principles. All buildings facing the internal circulation streets should include windows and overhead protection along the sidewalk. Signage type will be appropriate to its arterial orientation.

Existing trees should be incorporated into the landscaping to lend an established look to the development.

Placement The buildings along 75th and Center in this district are generally encouraged to abut the street to mirror building placements on these same streets but in the Commercial District. Where appropriate, buildings should also form smaller open spaces which should each take on their own character. Parking should be located to the side and rear of the buildings and, where feasible, interconnected parking lots are encouraged to the extent that this should be compatible in the long term.

3. Office / Retail District

Intent This district overlaps the City of Tumwater’s designated Town Center, and will include commercial, office and retail uses. This may include mixed use development, especially north of Tumwater Boulevard. In keeping with the massing, design and intent of this district, signage will be pedestrian oriented.

Use Commercial, office, and retail.

Character Landscaping and architectural details with distinctive accent colors should serve to lessen the impact of larger buildings. Shade trees should line and define the property, and indicate entrances. Rooflines should be varied; gables, dormers and entrance canopies should add variety as well as architecturally fenestrated fascias and eaves. Walls should be architecturally contoured to provide attractive shadow line appearance from the street.

Incorporation of existing trees into site landscaping is required.

Placement Buildings should be located near the street edge with separate vehicle and truck access. Parking should be located to the side and rear of the buildings and, where feasible, interconnected parking lots are encouraged and it is anticipated as the site becomes more dense surface parking would convert to parking garages. Parking areas should be screened with landscaping.

4. Corporate Campus District

Intent The intent for this district is to provide visibility for businesses from I-5. The design should be of high quality because of this visibility.

Use Office and commercial.

Character The buildings should define the area as a professional quality office park. Landscaping and architectural details with distinctive accent colors should serve to lessen the impact of larger buildings. Shade trees should line and define the property, and indicate entrances. Rooflines and wall heights should be varied; gables, dormers, architecturally fenestrated facias and eaves should add variety. Entrance canopies and plazas should be used to delineate the office entrance. Walls should be architecturally contoured to provide attractive shadow line appearance from the street.

The Peninsula Properties building is a model for the architectural and landscaping character for this area.

Placement Two- to three-story buildings should face Kimmie Street, with ample front yard setbacks. Parking should be located to the side and rear of the buildings and, where feasible, parking lots should be interconnected.

5. Mixed Use District

Intent The Mixed Use District should contain commercial, office, warehousing and light industrial uses that do not require high visibility.

Use Commercial, office, warehousing, and light industrial.

Character Landscaping and architectural details with distinctive accent colors should serve to lessen the impact of larger buildings. Shade trees should line and define the property, and indicate entrances. Landscaped berms are encouraged. Rooflines should be varied; gables, dormers and entrance canopies should add variety as well as architecturally fenestrated fascias and eaves. Walls should be architecturally contoured to provide attractive shadow line appearance from the street.

Incorporation of existing trees into site landscaping is required.

Placement Buildings should be located near the street edge with separate vehicle and truck access. Parking should be located to the side and rear of the buildings and, where feasible, interconnected parking lots are encouraged to the extent that this will be compatible in the long term. Parking areas should be screened with landscaping.

6. Light Industry District

Intent This district is intended for light industrial uses such as Cardinal CG.

Use Light industrial.

Character Large metal buildings are appropriate in this area with high levels of ornamentation and modulation to indicate key entrances for customers and employees. Landscaping and architectural details with distinctive accent colors should serve to lessen the impact of larger buildings. Shade trees should line and define the property, and indicate entrances. Use of existing trees is required to meet landscaping requirements. Walls should be architecturally contoured to provide attractive shadow line appearance from the street.

Placement Access to the area is provided off of Pat Kennedy Way. Buildings should be located near the street edge. Parking should be located to the side and rear of the buildings, with shared parking lots where feasible. Parking areas should be screened with landscaping.

7. Warehousing, Distribution and Light Industrial District

Intent This district is intended for some of the larger buildings within NewMarket. These buildings will be used by businesses which require large spaces for manufacturing, warehousing and distribution. A linear greenbelt stormwater facility should be developed through the interior as part of a sub-regional stormwater system for NewMarket. This stormwater greenbelt would be designed to meet each on-site abutting development's stormwater

needs, and create an attractive amenity. Pedestrian trails, used by employees for lunchtime walks or after work jogs, will also be available to citizens of the larger community as a recreational amenity.

Use Manufacturing, warehousing, and distribution.

Character Large metal buildings are appropriate in this area with high levels of ornamentation and modulation to indicate key entrances for customers and employees. Landscaping and architectural details with distinctive accent colors should serve to lessen the impact of the larger buildings. Shade trees should line and define the property, and indicate entrances. Rooflines and wall heights should be varied; gables, dormers, architecturally fenestrated facias and eaves should add variety. Entrance canopies and plazas should be used to delineate the office entrance. Walls should be architecturally contoured to provide attractive shadow line appearance from the street.

Placement Buildings should be located near the street edge with separate truck and vehicle access. Parking should be located to the side and rear of the buildings. Interconnected parking lots are encouraged. Parking areas should be screened with landscaping.

8. Recreation District

Intent To maximize use of properties located within the cross-wind runway protection zone, per Federal Aviation Administration guidelines. Land uses on this site should be low intensity recreational uses.

Use Recreational. Structures which would enter the runway airspace are not allowed. No night lighting or glare will be allowed.

Character Low density development with large open spaces for outdoor recreational activity.

The rooflines and wall heights should be varied with the use of gables, dormers, architecturally fenestrated facias and eaves. Walls should be architecturally contoured to provide attractive shadow line appearance from the street.

Placement Development of this site must take into consideration neighboring uses and compatibility issues.

9. School District

Intent This parcel is in long term school use and no other use is envisioned for this site in the long term.

D. Transportation Network

All streets at NewMarket are Port-owned except for Center Street, Tumwater Boulevard, and New Market Street north of Tumwater Boulevard.

Recreational Path

On most warm summer days, especially during lunch hour, joggers and walkers travel the NewMarket Industrial Campus street network. A recreational path is incorporated into the street standard for Kimmie Street to accommodate this recreational use.

E. Landscaping and Greenbelt Guidelines

Landscaping Guidelines

These guidelines promote the establishment of compatible and continuous landscape development to enhance and unify NewMarket Industrial Campus. The goal is to create the sense of an established, professional, business-park atmosphere. To some extent each preceding section of this plan has addressed landscaping, from street standards, to development uses and stormwater management. These guidelines reinforce earlier concepts; and to promote a neat and well maintained appearance in areas not covered by buildings or parking; to enhance the existing site character, and to minimize the adverse visual and environmental impacts of large paved areas.

- ❑ Landscaping should delineate site entrances.
- ❑ Parking lots should be shaded and landscaped inside as well as on the perimeter.
- ❑ The setback space between streets and parking lots should be fully landscaped. Where possible, berms should be provided in order to screen parked cars and to prevent headlights from disrupting traffic. Where berms are not possible due to space limitations, the parking should be screened through use of coniferous trees and/or appropriate shrub plantings.
- ❑ Landscaping should be used to help define pedestrian paths and areas.
- ❑ Landscaping should accentuate the architectural details of site buildings.
- ❑ Shade trees should line and define the building and property perimeters (when feasible with adjacent uses). Sidewalks adjacent to the building should be setback with landscaping in between.
- ❑ Retention of existing trees is strongly encouraged and should be retained where possible.

The tenant is responsible for maintaining landscaping associated with their site in a groomed, weed-free condition.

Greenbelt Guidelines

Two greenbelt systems are proposed for NewMarket and are illustrated on the attached drawing. One is around the perimeter of NewMarket, primarily on the south and west sides. Most of the trees which should be a part of this system are existing trees. A second system is proposed as part of the north-south sub-regional stormwater facility. Some trees which would be a part of this system are existing trees; others would have to be added, especially at the north end of the system.

The existing trees in the undeveloped areas of NewMarket are a significant amenity and should be preserved and incorporated into site designs for each parcel that abuts the Greenbelt. As a rule, the greenbelt areas should not be included within future leases unless the tenant is committed to retaining and maintaining the Greenbelt. Adjacent tenants should ensure that developments on their site do not adversely impact the greenbelt system.

Existing and new trees should be combined in the following greenbelt areas:

- ❑ At the entrance to NewMarket on Center Street. These trees create a boulevard atmosphere and add to the aesthetic value of Tumwater Boulevard. A viable strip should be preserved the length of Center Street between Tumwater Boulevard and 77th (or so);
- ❑ Along Armstrong Road;
- ❑ North of the existing bulk fuel farm;
- ❑ Within the Commercial District, primarily on the north perimeter and within the future sub-regional stormwater facility;
- ❑ On the western border of the Corporate Campus;
- ❑ Between the school site and future uses to the north;
- ❑ Along the north-south future sub-regional stormwater facility in the Warehousing District;
- ❑ Along 83rd and Armstrong Street;
- ❑ Along the north-south future sub-regional stormwater facility in the Mixed Use District; and
- ❑ At the entrance to the Port's NewMarket properties along the road that goes to the Brighton Grange, and those trees within the development to the south of 73rd.
- ❑ Around the Light Industrial District.